

# CITY OF PRAIRIE DU CHIEN

214 East Blackhawk Avenue - PO Box 324 - Prairie du Chien, WI 53821

Phone: (608) 326-6406 Fax: (608) 326-8182

Notice is hereby given according to State Statutes that the **PUBLIC WORKS COMMITTEE** of the City of Prairie du Chien will meet on **Tuesday October 15th 2013 at 5:30 PM** in the Conference Room #2 of City Hall.

\* \* \*

**PROOF OF POSTING AFFIDAVIT:** This agenda was posted more than 24 hours prior to the start of this meeting as follows: City Hall, 214 E. Blackhawk Avenue (kiosk) - Library, 125 S. Wacouta Avenue - U.S. Post Office, 120 S. Beaumont Rd. - Mailed & emailed to Members - News media as requested.

## MEETING NOTICE – PUBLIC WORKS COMMITTEE

**Tuesday October 15th 2013 – 5:30 PM – Conference Room #2 – City Hall**

### ITEMS TO BE DISCUSSED AND ACTED UPON:

**1. Call to order/Roll Call**

**2. Certification of the open meeting law agenda requirements and approval of the agenda**

**3. APPROVAL - Minutes of the October 1st 2013 meeting**

**4. DISCUSSION AND ACTION – City Contribution to Vineyard Coulee Road Project**

The Town of Bridgeport is asking the City to contribute \$179,333 toward the reconstruction of Vineyard Coulee Road in 2014. The item was tabled at the last Council meeting.

**5. PROJECT UPDATE – 22<sup>nd</sup> Street/Woodridge Acres**

A memo from the staff explaining why the paving of 22<sup>nd</sup> Street will take place in the spring of 2014 is included in the packet.

**6. DISCUSSION AND ACTION – Phosphorous Testing Proposal for Wastewater Facility**

The State of Wisconsin DNR new surface water quality standards for phosphorus will affect our WPDES permit renewal when the current permit expires on June 30, 2015. The wastewater staff and DNR representatives met with a firm on September 26th that has developed a product that has shown to be very effective in removal of phosphorus from the waste stream (both influent and effluent) and may be an option for meeting the future needs and requirements of the facility and DNR. Staff requests that the Public Works Committee and City Council approve implementing a pilot program to test this product in real time applications at the wastewater facility and possibly point source locations in the collection system.

**7. DISCUSSION AND ACTION – Request to Bid Out ¾-ton, 2-wheel drive utility truck (WWTP)**

**8. DISCUSSION AND ACTION – Request to Bid Out ¾-ton, 2-wheel drive utility truck (Water Department)**

**9. DISCUSSION AND ACTION – Fish Cleaning Stations and Possible Ordinance Regulating the Disposal of Fish Waste in City Dumpsters and Trash Receptacles**

A memo from the City Administrator discussing the above issues is included in the packet.

**10. DISCUSSION AND ACTION – Safety Issues on the St. Feriole Island Riverwall and Riverfront**

In September, the Committee voted against a proposal to install ladders on the St. Feriole Island Riverwall, and directed staff to review other possible safety options and report back to the Committee. A memo from the Chief of Police addressing these issues is included in the packet.

**11. DISCUSSION AND ACTION – Signage in North Gateway Business Park (TID #6)**

Staff will be seeking permission to spend up to \$5,000 (TID #6 funds) to construct two signs in the park to advertise that land is for sale.

**12. ADJOURNMENT**

---

Aaron Kramer, City Administrator